


Fig. 1



6

3	3	3	3	3	3
3	3	3	3	3	3
3	3	3	3	3	3
3	3	3	3	3	3
3	3	3	3	3	3
3	3	3	3	3	3
3	3	3	3	3	3
3	3	3	3	3	3

Fig. 3a

1	1	1	1	1	1
1	2	2	2	1	1
1	3	3	2	1	1
1	3	2	3	1	1
1	2	2	2	1	1
1	3	3	2	1	1
1	2	2	2	1	1
1	2	2	2	1	1

Fig. 3 b

1	1	2	2	1	1
2	1	2	2	1	1
2	2	2	2	1	1
1	1	1	2	2	1
3	3	2	1	1	1
2	3	2	1	1	1
1	4	2	1	1	1
1	1	1	1	1	1

Fig. 3c

1	1	2	2	1	1
2	2	2	2	1	1
2	3	3	2	1	1
1	3	2	3	2	1
3	3	2	2	1	1
2	3	3	2	1	1
1	4	2	2	1	1
1	2	2	2	1	1

Fig. 3 d




Fig. 4




Fig. 5




Fig.6




Fig. 7




Fig. 8






Fig. 9




Fig. 10




Fig. 11a




Fig. 11e




Fig. 11b




Fig. 11f




Fig. 11c




Fig. 11g




Fig. 11d




Fig. 11h




Fig. 12





FIG.13



Block diagram of the coder with two scales of spatial resolution

Fig. 14

